



**ISK**  
BEARINGS

久大轴承有限公司  
JOTA BEARING CO., LTD.

JOTA





針狀軸承


**Needle Roller Bearings**

單向軸承

**Drawn Cup Roller Clutches**



## RNA - NA4800 型針狀軸承 RNA, NA4800 Needle Roller Bearing



軸承型號 Bearing No.		主要尺寸(mm) Dimensions					基本動負荷 (kgf) Basic Load Rating C	靜定荷 載量(kgf) Static Load Rating C
內孔直徑	外孔直徑	d	d <sub>r</sub>	D	B	r		
RNA-4822	NA-4822	110	120	140	30	1.5	7300	12400
RNA-4824	NA-4824	120	130	150	30	1.5	7500	13000
RNA-4826	NA-4826	130	140	160	30	2	9100	17000
RNA-4828	NA-4828	140	150	175	30	2	9400	18000
RNA-4830	NA-4830	150	160	190	40	2	10000	20000
RNA-4832	NA-4832	150	175	200	40	2	10000	24100
RNA-4834	NA-4834	170	180	215	40	2	10000	28000
RNA-4836	NA-4836	180	190	225	40	2	10000	30000
RNA-4838	NA-4838	190	210	240	50	2.5	10100	36000
RNA-4840	NA-4840	200	220	250	50	2.5	10700	38000
RNA-4844	NA-4844	220	240	270	50	2.5	20000	40100
RNA-4848	NA-4848	240	265	300	60	3	20000	58000
RNA-4852	NA-4852	260	280	320	60	3	27000	61400
RNA-4856	NA-4856	280	305	350	60	3	30000	77000
RNA-4860	NA-4860	300	330	380	60	3.5	40000	94000
RNA-4864	NA-4864	320	350	420	60	3.5	40100	102000
RNA-4868	NA-4868	340	370	420	60	3.5	40000	107000
RNA-4872	NA-4872	360	390	440	60	3.5	51000	118000




## RNA - NA4900 型針狀軸承 RNA, NA4900 Needle Roller Bearing



軸承型號 Bearing No.		主要尺寸(mm) Dimensions					基本额定动载荷(kg) Basic Load Rating C	额定动载荷(lbf) Rating C
内圈内圈 Inner Ring	内圈内圈 Inner Ring	d	dr	D	B	r		
RNA-4900	NA-4900	10	14	22	13	0.5	750	600
RNA-4901	NA-4901	12	16	24	13	0.5	770	650
RNA-4902	NA-4902	15	20	28	15	0.5	870	780
RNA-4903	NA-4903	17	22	30	15	0.5	930	800
RNA-4904	NA-4904	20	25	32	17	0.5	1040	1450
RNA-49-22	NA-49-22	22	28	38	17	0.5	1070	1040
RNA-4905	NA-4905	25	30	42	17	0.5	1050	1140
RNA-49-28	NA-49-28	28	32	45	17	0.5	1050	1040
RNA-4906	NA-4906	30	36	47	17	0.5	1060	1040
RNA-49-32	NA-49-32	32	40	52	20	1	2020	2020
RNA-4907	NA-4907	36	42	55	20	1	2510	2150
RNA-4908	NA-4908	40	48	62	22	1	3230	2680
RNA-4909	NA-4909	45	52	68	22	1	3280	2880
RNA-4910	NA-4910	50	58	72	22	1	3810	4400
RNA-4911	NA-4911	56	63	80	26	1.5	4450	5220
RNA-4912	NA-4912	60	68	85	25	1.5	4870	5920
RNA-4913	NA-4913	65	72	90	25	1.5	4880	6020
RNA-4914	NA-4914	70	80	100	30	1.5	6420	8050
RNA-4915	NA-4915	75	85	105	30	1.5	6850	8500
RNA-4916	NA-4916	80	90	110	30	1.5	6740	8180
RNA-4917	NA-4917	85	100	120	35	2	8920	12700
RNA-4918	NA-4918	90	105	125	35	2	8730	10400
RNA-4919	NA-4919	95	110	130	35	2	8990	14100
RNA-4920	NA-4920	100	115	140	40	2	11600	17100
RNA-4922	NA-4922	110	125	150	40	2	11700	18000
RNA-4924	NA-4924	120	135	160	45	2	14300	23000
RNA-4926	NA-4926	130	150	180	50	2.5	18600	27000
RNA-4928	NA-4928	140	160	190	60	2.5	17200	26000
RNA-4930	NA-4930	150	170	210	60	2.5	24800	36000



## RNA - NA6900 型針狀軸承 RNA, NA6900 Needle Roller Bearing



軸承型號 Bearing No.		主要尺寸(mm) Dimensions					基本定額 荷重(kg) C	靜定荷 重(kg) C
內內圈	外內圈	d	d <sub>r</sub>	D	B	r		
RNA-6901	NA-6901	12	16	24	22	0.5	1340	9170
RNA-6902	NA-6902	15	20	28	25	0.5	1520	1420
RNA-6903	NA-6903	17	22	30	25	0.5	1620	1500
RNA-6904	NA-6904	20	25	37	30	0.5	2080	2640
RNA-69-22	NA-69-22	22	28	38	30	0.5	2640	2980
RNA-6905	NA-69-05	25	30	42	30	0.5	3280	3170
RNA-69-28	NA-69-28	28	32	45	30	0.5	3240	3240
RNA-6906	NA-69-06	30	35	47	30	0.5	3480	3820
RNA-69-32	NA-69-32	32	40	52	36	1	4580	5260
RNA-6907	NA-6907	35	42	55	36	1	4770	5490
RNA-6908	NA-6908	40	48	62	40	1	6180	7320
RNA-6909	NA-6909	45	52	68	40	1	6640	7910
RNA-6910	NA-6910	50	58	72	40	1	8070	8760
RNA-6911	NA-6911	55	63	80	45	1.5	8680	10400
RNA-6912	NA-6912	60	68	85	45	1.5	8880	11200
RNA-6913	NA-6913	65	72	90	45	1.5	9280	12100
RNA-6914	NA-6914	70	80	100	54	1.5	11580	14800
RNA-6915	NA-6915	72	85	105	54	1.5	12080	17400
RNA-6916	NA-6916	80	90	110	54	1.5	12280	15400
RNA-6917	NA-6917	85	100	120	60	2	14680	24400
RNA-6918	NA-6918	90	105	125	60	2	15080	25800
RNA-6919	NA-6919	95	110	130	60	2	16780	26800



## TAF NK 旋剛型針狀軸承 TAF, NK Machined Type Needle Roller Bearing



軸承型號 Bearing No. TAF	主要尺寸(mm) Dimensions			重量 Mass (g)	基本動 定摩阻係數 Bearing Coef. Rating (C0/g)
	d	D	B		
TAF- 71410	7	14	10	8.8	320
TAF- 71412	7	14	12	8.3	410
TAF- 81512	8	16	12	9.1	460
TAF- 81516	8	16	16	12.9	620
TAF- 91612	9	18	12	9.8	490
TAF- 91616	9	18	16	13.2	680
TAF- 101712	10	17	12	10.7	520
TAF- 101716	10	17	16	14.3	730
TAF- 121912	12	19	12	12.2	590
TAF- 121916	12	19	16	16.3	810
TAF- 142216	14	22	16	21	1030
TAF- 142220	14	22	20	26.5	1300
TAF- 152316	15	23	16	22.5	1080
TAF- 152320	15	23	20	28	1360
TAF- 162416	16	24	16	23	1070
TAF- 162420	16	24	20	29	1380
TAF- 172516	17	25	16	24.5	1120
TAF- 172520	17	25	20	30.5	1420
TAF- 182616	18	26	16	26.5	1180
TAF- 182620	18	26	20	32	1480
TAF- 192716	19	27	16	27	1220
TAF- 192720	19	27	20	34	1540
TAF- 202816	20	28	16	27.5	1210
TAF- 202820	20	28	20	35.5	1630



轴承型号 Bearing No. TAF	主要尺寸(mm) Dimensions			重量 Mass (g)	基本额定动载荷 Basic Load Rating C(kg)
	d	D	B		
TAF-212016	21	29	16	29	1260
TAF-212020	21	29	20	36	1590
TAF-223016	22	30	16	30	1300
TAF-223020	22	30	20	37.5	1650
TAF-243216	24	32	16	32	1340
TAF-243220	24	32	20	40.5	1690
TAF-253316	25	33	16	33.5	1390
TAF-253320	25	33	20	42	1750
TAF-263416	26	34	16	34.5	1420
TAF-263420	26	34	20	43.5	1800
TAF-283720	28	37	20	51.5	1900
TAF-283730	28	37	30	63.5	2710
TAF-293820	29	38	20	57	1890
TAF-293830	29	38	30	65	2700
TAF-304020	30	40	20	64.5	2180
TAF-304030	30	40	30	87.5	3130
TAF-324220	32	42	20	68	2230
TAF-324230	32	42	30	102	3200
TAF-354520	35	45	20	73.5	2340
TAF-354530	35	45	30	112	3260
TAF-374720	37	47	20	77.5	2460
TAF-374730	37	47	30	117	3620
TAF-384820	38	48	20	79	2440
TAF-384830	38	48	30	119	3510



軸承型號 Bearing No. TAF	主要尺寸(mm) Dimensions			重量 Mass (g)	基本動 定軸承量 Basic Load Ratings (kg)
	d	D	B		
TAF-405025	40	50	25	85	2580
TAF-405030	40	50	30	125	3680
TAF-425225	42	52	25	86.5	2670
TAF-425230	42	52	30	130	3750
TAF-435325	43	53	25	86.5	2650
TAF-435330	43	53	30	133	3870
TAF-455525	45	55	25	92	2750
TAF-455530	45	55	30	138	3870
TAF-475725	47	57	25	95	2740
TAF-475730	47	57	30	144	3930
TAF-505225	50	62	25	150	3780
TAF-505235	50	62	35	225	5070
TAF-555325	55	68	25	180	3970
TAF-555335	55	68	35	255	5380
TAF-607225	60	72	25	187	4180
TAF-607235	60	72	35	280	5880
TAF-657325	65	78	25	228	4330
TAF-657335	65	78	35	315	5830
TAF-688225	68	82	25	250	4780
TAF-688235	68	82	35	350	6280
TAF-758325	75	85	25	280	4920
TAF-758335	75	85	35	385	6340
TAF-759325	75	90	25	325	5280
TAF-759335	75	90	35	475	8970

尺寸單位: mm





轴承型号 Bearing No. TAF	主要尺寸(mm) Dimensions			重量 Mass (g)	基本额定动载荷 Basic load Rating C(kg)
	d1	D	B		
TAF-750225	75	92	25	345	5580
TAF-750235	75	92	35	485	7090
TAF-800225	80	95	25	315	5160
TAF-800235	80	95	35	445	6780
TAF-851025	85	105	25	435	6520
TAF-851035	85	105	35	610	8760
TAF-901125	90	110	25	455	6910
TAF-901135	90	110	35	640	8870
TAF-951125	95	115	25	485	6910
TAF-951135	95	115	35	680	9140
TAF-10012525	100	120	25	525	7040
TAF-10012535	100	120	35	725	9450
TAF-10512525	105	125	25	545	7220
TAF-10512535	105	125	35	760	9700
TAF-11013025	110	130	25	580	8060
TAF-11013040	110	130	40	880	11520



## TAFI 磨削型針狀軸承 TAFI NKI Machined Type Needle Roller Bearing



軸承型號 Bearing No. TAFI	主要尺寸(mm) Dimensions			質量 Mass (g)	基本動 負荷限值 Basic Load Rating (C <sub>10</sub> )
	d	D	B		
TAFI-91912	9	18	12	15.9	400
TAFI-91916	9	18	16	16.7	620
TAFI-91912	9	18	12	15	400
TAFI-91916	9	18	16	17.5	660
TAFI-71712	7	17	12	14.3	320
TAFI-71716	7	17	16	16.2	730
TAFI-91912	9	18	12	16.7	590
TAFI-91916	9	18	16	22	620
TAFI-162216	10	22	16	36	1030
TAFI-162220	10	22	20	38	1300
TAFI-122416	12	24	16	33.5	1070
TAFI-122420	12	24	20	42	1360
TAFI-152716	15	27	16	36.5	1220
TAFI-152720	15	27	20	50	1540
TAFI-172916	17	29	16	43.5	1360
TAFI-172920	17	29	20	54	1690
TAFI-203216	20	32	16	48.6	1340
TAFI-203220	20	32	20	61	1690
TAFI-223416	22	34	16	52	1420
TAFI-223420	22	34	20	67.5	1800
TAFI-253820	25	38	20	62	1680
TAFI-253825	25	38	25	123	2700
TAFI-284220	28	42	20	96.5	2200
TAFI-284225	28	42	25	145	3200



轴承型号 Bearing No. TAPF	主要尺寸(mm) Dimensions			重量 Mass g	基本额定动载荷 Basic Load Rating C(kg)
	d	D	B		
TAPF-304520	30	45	20	112	2345
TAPF-304530	30	45	30	179	3060
TAPF-324720	32	47	20	121	2460
TAPF-324730	32	47	30	180	3220
TAPF-355020	35	50	20	130	2560
TAPF-355030	35	50	30	187	3360
TAPF-385320	38	53	20	138	2850
TAPF-385330	38	53	30	205	3810
TAPF-405520	40	55	20	142	2700
TAPF-405530	40	55	30	215	3670
TAPF-425720	42	57	20	148	2740
TAPF-425730	42	57	30	225	3630
TAPF-456225	45	60	25	230	3760
TAPF-456235	45	60	35	320	5070
TAPF-506825	50	68	25	270	3870
TAPF-506835	50	68	35	368	5090
TAPF-557225	55	72	25	275	4190
TAPF-557235	55	72	35	360	5090
TAPF-608225	60	82	25	355	4760
TAPF-608235	60	82	35	500	6260
TAPF-659025	65	90	25	710	6870
TAPF-709525	70	95	25	640	5760
TAPF-709535	70	95	35	760	6790
TAPF-751025	75	105	25	675	6620



轴承型号 Bearing No. TAP1	主要尺寸(mm) Dimensions			质量 Mass (g)	基本额定动载荷 Basic Load Rating C0(kg)
	d <sub>r</sub>	D	B		
TAP1-101020	75	104	25	545	6750
TAP1-0011020	80	110	25	710	8610
TAP1-0011030	80	110	30	990	8670
TAP1-0011038	85	115	28	775	8610
TAP1-0011038	85	115	30	1080	8140
TAP1-0012020	90	120	28	820	7040
TAP1-0012030	90	120	30	1140	8450
TAP1-0012520	95	125	28	880	7520
TAP1-0012530	95	125	30	1190	8750
TAP1-1001300	100	130	30	1040	8080
TAP1-1001340	100	130	40	1380	11000

# JOTA BEARING



久大軸承有限公司

<https://iskbearing.com/>

TEL : +886-3-325-0202

E-mail : [iskbearing@jota-bearing.com.tw](mailto:iskbearing@jota-bearing.com.tw)

Address : NO.65, Ln.1434, ChunRi RD.,  
33051 Taoyuan, Taiwan, R.O.C

